

COOTE® Series



AC ENCLOSURES




www.aambianz.com.au

aambianz
engineered architectural ambience



COOTE Series

All Aambianz products are engineered to Australian standards and adapted to project design requirements. Aambianz COOTE Series has been comprehensively tested to the Australian standards and these results can be made available on request.



COOTE Features:



- Air conditioning enclosure
- Providing controllable inlet air and exhaust
- Suits standard AC outdoor units









- Wide range of perforated patterns
- Supplied in knock-down kit form


Finish

- Mill finish
- Powder Coat: Dulux, Precious, Electro, Duralloy, Alphatec, Duratec, Fluoraset
- Interpon: D100, D2015 Ultriva, D3020 Fluoromax
- Anodising: Australian Aluminium Finishing, EverShield High Grade Anodising, EverShield Coastal, EverShield External, EverShield, Internal.
- Universal: please specify colour and thickness
- Other Finish







Available options




S9512
9.53mmØ x 12.7mm Pitch
51% Open Area




S4763
4.76mmØ x 6.35mm Pitch
51% Open Area




S7995
7.94mmØ x 9.55mm Pitch
62% Open Area




S2530
25.4mmØ x 30.00mm Pitch
63% Open Area




S-Cooper
50% Open Area




S6376SQ
6.35mmSq x 7.62mm Pitch
69% Open Area




S1012SQ
10mmSq x 12mm Pitch
70% Open Area




S-Orion
56% Open Area




S-Lepus
60% Open Area




S-Mensa
55% Open Area




S9511H
9.5 x 11.9mm Pitch
64% Open Area



S-Pictor
50% Open Area



S-Cygnus
60% Open Area



S-Lynx
51% Open Area



Custom Perf | Picture Perf

